SUBJECT INDEX

A

AC-toxin, 93–94, 107
Actinomyces scabies, 79
AF-toxin, 93, 107
  potassium efflux increase, 97
  release from spores, 99
Aflatoxin, 154, 156, 162
  turkey "X" disease, 169
AK-toxin, 89–91, 107
  disease induction, 100
  host sensitivity, 91
  physiological action, 96–97
  production
    mutation, 103–4
    regulation, 100–1
  release from spores, 99
  structure, 90–91
AL-toxin, 92
  effect on host, 98
  structure, 90, 93
Alfalfa mosaic virus
  nucleotide sequence homology, 186, 194
  hybridization analysis, 186
  RNA characterization, 188
Allomyces macrogynus, 331
Allyl alcohol, 73
Altenin, 89, 91
Alternaria
  alternata, 307
    AC-toxin, 93–94
    AF-toxin, 93
    AL-toxin, 90, 92–93
    AM-toxin, 90–92
    AT-toxin, 94
    altenin, 89, 91
    disease induction, 100
    historical discussion of diseases, 105
    host colonization, 99
    host response to toxin, 102
    host-specific toxins, 88–94
    infection-inhibiting factor, 103
    pathotypes, 88–89, 103
    seasonal changes in spore numbers, 107
    tentoxin, 95
    tenuazonic acid, 96
    toxin, 306
    toxin production inhibition, 100–1
    toxin production mutation, 103–4
  helianthi
    toxins, 95
  kikuchiana
    toxin, 306
  lycopersici, 106
  mali
    toxin, 306
  solani, 351, 354
    toxin, 94
  triticina, 158
Alternaric acid, 95
Alternariol, 95
Altersolanol, 95
Aluminum
  toxicity to wheat, 395
AM-toxin, 91–92
  host sensitivity, 92, 98
  potassium loss from tissue, 97
  production mutation, 104
  release from spores, 99
  site of action, 97
  structure, 90–92
Anthraquinone, 95
Apple canker, 79
Arbutus menziessi, 232
Armillaria mellea, 237
  heteroploidy, 323, 331
Asada, Y., 7
Ascomycetes
  chromosome numbers, 328
  heteroploidy, 320–23
Apsergillus
  candidus, 155
  flavus, 154–55, 162
    aflatoxin, 169–72
  nidulans
    aneuploids, 336
    chromosome conservation, 335
    chromosome number, 328
    heteroploidy, 320–21
AT-toxin, 94
  release from spores, 99
Avocado sunblotch viroid
  DNA probe preparation, 190

B

Bacillus subtilis, 79
Barley stripe mosaic virus
  helper virus, 292
  RNA preparation contamination, 188
  subgenomic RNA, 194
Basidiomycetes
  chromosome numbers, 328
  heteroploidy, 323
Bean
  brown spot and epiphytic populations, 253, 256
Bean golden mosaic virus
  restriction enzyme cleavage, 192
Bean yellow mosaic virus
  hybridization analysis, 107
Bostrycin, 95
Botrytis cinerea, 211, 198
  lectin inhibition, 302
Breeding strategies for stress and resistance, 385–409
  adversities in developing countries, 391–92
    direct selection, 396–98
    drought stress, 399–401
    ecosystem focus, 392–94
    mineral stress, 399
    natural and indirect selection, 394–95
  conclusion, 406
  disease and pest resistance, 401–2
    breeding program steps, 401–2
    error due to pathogen population structure, 404–6
    heterogeneous error and pest/pathogen buildup, 403–4
    heterozygosity error, 402–3
  environmental adversity and stress, 390–91
    definitions, 390
    stress resistance nature, 391
  historical perspective, 386–87
    broad adaptability, 388–89
    crop improvement efforts, 386
    local adaptation, 389–90
    temperate countries, 387
    tropical and subtropical countries, 387–88
    vertical resistance, 388–89
  introduction, 385
Bremia lactucae
  homothallism, 327
Broad bean mottle virus
  RNA sequence homology, 193
Brome mosaic virus
  helper virus, 292
Bromoviruses
  RNA aminoacylation, 193
Bursaphelenchus
  lignicolus, 202
  mucronatus, 213–14
  xylophilus
    behavior associated with

disease development, 207–10
disease development, 206–7
host susceptibility, 203–5
life in diseased trees, 210
occurrence in USA, 202
pathogenicity, 203–5
populations in diseased trees, 211–12
toxins, 210
see also Pine wilt disease
Bushnell, W. R., 7

C

Caffeic acid, 77
Callose, 35, 303
Candida albicans
heteroploidy, 326–27
Carbendazim, 127
Carleton, M. A., 19
Carnation etched ring virus
restriction mapping, 192
Casbene, 299
Cauliflower mosaic virus
viral genome nucleotide sequence, 179, 192–93
Caulimoviruses
restriction enzyme mapping, 192
Cellulose nitrate
viral nucleic acids hybridization analysis, 190–91
Cephalosporium caerulens, 101
Cercospora
beticola, 128
kikuchii
spore size, 333
Cercosporella herpotrichoides, 127
Cerulenin, 100–1
Chamberlain, Charlotte, 20
Chemical control theory and strategy, 117–35
conclusions, 133–34
epidemiology and control, 121
equivalence theorem in control, 124
eradication, 121
protection, 121–22
reducing apparent infection rate, 122–24
reducing initial inoculum, 122
sanitation, 121
terminology, 121–22
epidemiology and fungicide resistance, 124–25
directional and disruptive selection, 125–26
general model for disruptive selection, 126–27
resistance buildup, 127–29
resistance buildup delay, 129–31
selection times, 128–30
future strategies, 131
equivalence theorem, 132
fungicide activity components, 132
future selective probe, 132
new fungicide development, 132–33
specific vs multicide fungicides, 131
synergism vs additive action, 133
underlying trends in practice, 131
underlying trends in research, 132
use in untreated crops, 131
introduction, 117
models and simulation, 117–18
compound and simple interest disease, 118–19
discussion, 120
Gompertz function, 119
simulation, 120
Chitinase, 70
Chitosan, 298
Chloris striate mosaic virus, 192
Chromosomes
see Heteroploidy
Chrysanthemum stunt viroid
hybridization analysis, 182
Citrus stubborn disease, 32–33
Cladosporium
fulvum, 294
elicitor, 298
herbarum, 162
Clyindrocladium crotalariae, 51
Coconut lethal yellowing, 39
Colletotrichum
lagenarium, 294–95
lindemuthianum, 298
Coprinum lagopus
chromosomes, 329
Corn stunt disease, 33
Corn stunt spiroplasma, 38–39
Cowpea chlorotic mottle virus
RNA sequence homology, 193
Cruickshank, I. A. M., 6–7
Cucumber mosaic virus, 194, 304
nucleotide sequence homology estimation, 182
hybridization analysis, 186–87
Cucumoviruses
hybridization analysis, 187
nucleotide sequence homology estimation, 181
RNA aminoacylation, 193
Curvularia lunata, 161–62
Cyathus stercoreus
chromosomes, 330

D

Dactylariol, 95
Deoxyradicinin, 95
DeWolf, Anson P., 22
Dictyostelim discoideum
fusion chromsomes, 330
heteroploidy, 328
Didymium iridis
heteroploidy, 327–28, 331
DNA
ice nucleation, 377
virus
restriction mapping, 192
sequencing, 179
see also Heteroploidy
DNA polymerase I, 193
cDNA
hybridization
analysis use, 187–88
cellulose nitrate sheets, 190–91
cloned DNA use, 188–90
experimental conditions effect, 181–84
sequence homology estimation, 180–81
labeled cDNA preparation, 180–81
DNase I, 189
Doctor of plant medicine degree, 148–49
Dodder
mycoplasma transmission, 36
Dodine, 126
Doke, N., 7

E

Ectendomycorrhizae, 230–31
from imperfect fungi, 232
intracellular colonization, 231
term, 230
Ectomycorrhizae
colonizing behavior, 227–28
distribution in root systems, 227
general features and occurrence, 226–27
Hartig net, 229–30
individual types description, 227
root apices conversion to . mycorrhizae, 228–30
EPIDEM, 351, 354
EPIDEMIC, 351, 354
validation, 353

Epifluorescence microscopy, 247–48
EPIMAY, 351
EPIMUL, 354
EPIVEN, 351
Erwinia
  amylovora, 257, 294
    antagonism, 375
    epiphytic population and disease, 252
    epiphytic population reduction, 374
    population variation, 250
  carotovora, 299
    lectin agglutination, 301
  carotovora pv. atroseptica
    aerosols, 259
  carotovora pv. carotovora
    aerosols, 259
  herbicola
    ice nucleation, 368
    ice nucleation genetic determinants, 377
    ice nucleation site, 376
    on plants, 370–71
  stewartii
    ice nucleation, 368
Erysiphe
  graminis, 126
  graminis f. sp. agropyri, 309
  graminis f. sp. hordei, 296, 307
  graminis f. sp. tritici, 309
Escherichia coli, 357
  cloned ice nucleation gene, 377
Esterases
  Meloidogyne spp. 279
Ethirimol, 126
Ethylene, 70, 73
Extension plant pathology, 137–52
  conclusion, 151–52
  extension/research split, 145–46
  information dissemination, 142–45
    audience stratification, 142
    county extension workers, 144
    extension projects success, 145
    extension specialists role, 145
    private consultants, 143
    regional specialists, 144–45
  introduction, 137
  joint appointments, 146–47
  looking forward, 150–51
    computors, 150–51
    disease loss models, 151
  need to serve, 137–42
    extension specialists time percent, 139–40
    historical, 137–38
    specialization danger, 141–42
    specialization evolution, 138–41
    split appointment evolution, 140
  training, 147–49
    curriculum, 149
    doctor of plant medicine, 148
    internship, 149
    traditional, 148

F

Farlow, W. G., 1, 138
Figwort mosaic virus
  restriction mapping, 192
Fischer, Alfred, 24
p-Fluorophenylalanine, 323, 335
Foliar bacterial pathogens ecology and epidemiology, 243–69
  conclusions, 262–63
  dispersal mechanisms, 258–60
    aerosols, 258–60
    insects, 260
    rainsplash, 258
  epiphytic bacteria
    pathogens, 244–45
    terms, 246
  epiphytic populations in relation to disease, 251
    brown spot of beans, 253
    conceptual model, 254
    fire blight, 252
    frost injury, 252
    halo blight of oats, 253–54
    qualitative relationships, 251–52
    quantitative relationships, 252–54
  inoculum sources, 254–55
    dormant tissues, 257
    nonhosts, 257–58
    seeds, 255–56
    soil, plant debris and roots, 256–57
  introduction, 243
  methodology, 246
    qualitative cultural methods, 248
    qualitative direct methods, 246–47
    quantitative cultural methods, 248–50
    quantitative direct methods, 247–48
    sampling unit, 250–51
  population dynamics, 260
    host genotype role, 261–62
    interaction with saprophytes, 262
    time frame, 260
    water role, 261
Fukushi, T. 1
Fungal parasitism of woody plant roots, 221–42
  conclusions, 237–38
  ectendomycorrhizae, 230–31
    from imperfect fungi, 232
    intracellular colonization, 231
    term, 230
  ectomycorrhizae
    colonizing behavior, 227–28
    distribution in root systems, 227
    general features and occurrence, 226–27
    Hartig net, 229
    individual types description, 227
    root apices and conversion to mycorrhizae, 228–30
  introduction, 221–22
  mycorrhizal symbioses effects, 226–35
  nonmutualistic fungal symbioses and root disease, 235
    cortex specific parasites, 237
    host-dominant tissue-nonspecific diseases, 236
    host-dominant tissue-specific disease, 236–37
    pathogen-dominant disease, 235–36
  pseudomycorrhizae, 232–33
    term, 232
  root systems
    growth behavior, 223–25
    morphological features, 222–23
    root classes, 223
  symbiosis concepts, 225–26
  vesicular-arbuscular mycorrhizae, 233–34
Fungi imperfecti
  heteroploidy, 324
Furuichi, Y., 7
Fusarium
  moniliforme, 39, 161
  oxysporum, 52
    infection model, 47

oxysporum f. sp. cucumerinum, 295
oxysporum f. sp. lycopersici, 295
oxysporum f. sp. pisi, 56
oxysporum f. sp. vasinfectum, 118
semitectum, 161
solani f. sp. phaseoli, 298
solani f. sp. pisi
chitosan, 298
Fusarium spp., 162

G

Gaeumannomyces
graminis, 49
graminis var. tritici, 74–77
Geminiviruses
restriction enzyme digestion, 192
Gibberellin, 38–39
Glucanase, 70
β-1,3-Glucanase, 298–99
β-Glucosidase, 298–99, 320
Gompertz model, 119–20
Grain molds in tropics, 153–78
control
field fungi, 173–74
storage fungi, 174–75
field fungi and their effects, 155
maize, 156–57
peanut, 162, 164
pearl millet, 161–62
pulse grain, 164
rice, 156, 158–59
sorghum, 158, 161
soybean, 162
wheat, 158, 160
future research, 175–76
grain molds and international trade, 169
introduction, 153–54
mycotoxins, 169
Aspergillus, 170–73
contamination prevention, 172–73
contamination risk, 171
detoxification, 173
factors affecting problem, 173
occurrence, 170
storage fungi and their effects, 167–68
grain drying, 168
importance, 167–68
storage systems, 168
terminology
grain molds, 154–55
grain-replacement diseases, 155
grain spoilage, 155
grain weathering, 155

H

Hall, J. G., 16
Harrar, J. G., 17
Hartig net, 229–30, 232, 237
Heald, Frederick DeForest, 13–20
early studies, 16
education, 15
Manual of Plant Diseases, 14–15
revision, 18
marriage, 16
plant pathology evolution, 18
publications, 19
retirement, 19–20
societies, 19
students, 17–18
Washington State University, 16–17
Hebeloma oculatum, 229
Hedges, Florence, 26
Heitefuss, R., 6
Helminthosporium
carbonum, 99
maydis race T
toxin, 306
rostratum, 161
sacchari
mutation to pathogenicity, 104
victoriae
toxin release by spores, 99
Helminthosporoside, 104
Heteroploidy, 317–40
Ascomycetes, 320–23
Basidiomycetes, 323–24
chromosome relationship, 328–30
conclusions, 336–37
DNA relationship, 331–33
conidial DNA content of Verticillium, 332
Fungi Imperfecti, 324
general, 317–20
theoretical numbers of disomic aneuploids, 318
introduction, 317
Myxomycetes, 327–28
parasexual cycle relationship, 334–36
Phycomycetes, 327
spore size relationship, 333–34
Heterorhizy, 223
Hirai, T., 7
Hiruki, C., 6
Holmes, Ida, 22
Holton, C. S., 17
Horikawa, T., 7
Host-pathogen relations intergrative analysis, 341–62
component models, 348
host models, 348–50
pathogen models, 350–54
coupled models, 355
growth yields, 357
nutritional questions, 357–58
pathogenicity questions, 356
crop loss assessment methods, 342–43
explanatory models, 343–48
logistic equations, 345
operational submodels, 347
stat-variable systems, 344–45
stiffness problem, 346
validation, 348
introduction, 341–42
outlook, 358–59
Host-specific toxins of Alternaria, 87–116
conclusions, 108
as epidemiological factors, 103
epidemiology, 105–8
historical discussion, 105–6
parasitism evolution, 103–5
general phytotoxins, 94–95
alternaric acid, 95
alternariol, 95
macrosporin, 95
tentoxin, 95–96
tenuazonic acid, 96
introduction, 87–88
mode of action
early infection process involvement, 100
host response, 101–3
host-selective physiological action, 96–98
infection-inhibiting factor, 103
production regulation, 100–1
release from germinating spores, 99
significance in pathogenesis, 98–103
phytotoxic metabolites, 88–89
A. solani, 94
AC-toxin, 93–94
AF-toxin, 93–94
AK-toxin, 89–91
AL-toxin, 90, 92–93
AM-toxin, 90–92
AT-toxin, 94
altenin, 89, 91

Hypersensitive response, 293
prevention, 301, 306–7
Hypersensitive response research, 1–12
cell death and disease resistance, 8–9
chemical defense mechanisms, 5
rishitin, 7–8
disease resistance research plan, 4–5
experimental model, 4
electrophysiology and disease resistance, 9–10
epilogue, 11
introduction, 1–2
perspectives, 10–11
plant juice effect on parasites, 3–4
preformed toxic substances, 3
snow blight disease, 2–3

I

Ice nucleation active bacteria, 252
population sizes, 260
Ice nucleation activity of bacteria, 363–84
conclusions, 378–79
frost injury, 371–72
antagonistic bacteria for protection, 373–75
bactericides for frost management, 373
ice nucleation inhibitors, 375–76
protection, 372–76
introduction, 363
molecular basis, 376–77
plant disease, 377–78
plant frost injury
control, 364–65
mechanisms, 364
water supercooling and ice nucleation, 365–66
bacterial ice nuclei, 367
ice nucleation, 367
ice nucleation active bacteria on plants, 370–71
ice nuclei measurement, 369–70
nonbiological sources, 366
Integrated Crop Management, 141, 143
scouting, 142
Integrated Pest Management, 140, 151–52
computer skills, 141
personnel requirements, 143
scouting, 142
International Meloidogyne Project, 271–88
conclusions, 286–87
developmental research, 282
ecological studies, 280
factors affecting geographical distribution, 280–82
population dynamics, 280
precipitation effect, 281
soil pH effect, 281–82
soil texture effect, 281
temperature effect, 281
genetic research, 282–83
introduction, 271
crop losses, 271
management studies, 283
biological control, 285
cropping systems research, 284–85
host resistance, 283–84
integrated crop protection systems, 285–86
nematicide tests, 285
Meloidogyne collection, 272
taxonomic investigations, 272–73
biochemistry, 279–80
cytogenetics, 276–79
esterases, 279
M. arenaria, 279
M. hapla, 278
M. incognita, 277–78
M. javanica, 278
morphology, 274–76
North Carolina differential host test, 273–74
Ipomeamaron, 6
Ishiguri, Y., 7
Ishizaka, N., 7
Ito, L., 1

J

Jones, L. R., 23, 26

K

Katsui, K., 7
Katsui, N., 7
Kitazawa, K., 4

L

Lectins
receptors, 300
fungal interactions, 302
plant-bacterial interactions, 300–2
Lignification, 302

M

Macrophomina
phaseoli
polyploidy, 326
phaseolina, 162
Macrosporin, 95
Magnaporthe grisea, 324
Maize
grain molds, 156
aflatoxins, 170–71
damage nature, 157
Masamune, T., 7
Matsumoto, N., 7
Meloidogyne
arenaria, 271, 284
cytogenetics, 279
precipitation effect, 281
race identification, 273–74
stylet morphology, 275–76
temperature effect, 281
hapla, 271, 284
cytogenetics, 278
precipitation effect, 281
stylet morphology, 275–76
temperature effect, 281
incognita, 271, 284
cytogenetics, 277–78
genetic research, 282–83
precipitation effect, 281
race identification, 273–74
soil pH effect, 285
stylet morphology, 275–76
temperature effect, 281
javanica, 271, 284
cytogenetics, 278
precipitation effect, 281
soil pH effect, 281
stylet morphology, 275–76
temperature effect, 281
Meloidogyne spp.
see International Meloidogyne Project
Miyabe, Kingo, 1
Monochamus alternatus
host susceptibility to Bursaphelenchus, 204
pine wilt disease
life cycle, 210, 214
spread, 202
vector, 211
Moor, Veronus A., 24
Most probable number, 54
Mucor
bacilliformis
sporangiospore DNA, 331
fragilis, 331
hiemalis
heteroploidy, 327
sporangiospore DNA, 331
Müller, K. O., 4, 6
Murai, N., 7

Mycelium radicis atrovirens, 232–33, 237
Mycorrhizae
see Fungal parasitism of woody plant roots
Mycosphaerella
ligulicola, 307
melonis, 307
pinodes, 307
Mycostasis, 78–79
Mycotoxins
caused problems, 169
Myxomycetes
chromosomes, 328
heteroploidy, 327–28

N

Nakajima, T., 7
Nectria heterospora
spore size and heteroploidy, 333
Neovossia indica, 158
Neurospora crassa
chromosome number, 328
heteroploidy, 320
Nishimura, N., 7
Nozue, M., 7
Nuclease S_1, 182–87, 189–90

O

Oats
halo blight and epiphytic populations, 253
Oleoresin, 206–7, 211
Ornithine carbamoyltransferase, 102

P

Paecilomyces lilacinus, 285
Papillae, 302–3
Papovaviruses
nucleotide sequence homology, 191
Parafilm, M., 36
Peach yellows
Smith's work, 23
Peanut
grain molds, 162, 164
aflatoxins, 169–73
damage nature, 165
Pearl millet
grain molds, 161
Penicillium chrysogenum, 320
Periconia circinata, 107
Peroxidase, 302–3
pH
soil
Meloidogyne occurrence, 281
Phenylalanine ammonia lyase, 302–3
Phialocephala dimorphosphora, 233
Phialophora graminicola, 75–77
Phoma sorghina, 96
Phycomycetes
chromosome numbers, 328
heteroploidy, 327
Phymatotrichum omnivorum, 335
heteroploidy, 324
Physarum polycephalum
heteroploidy, 331
Phytoalexins, 3, 6, 8, 77, 294, 299, 308
elicitors, 296–97
hypersensitive cell death, 9
hypothesis, 7
resistance mechanism, 303
Phytophthora
cactorum, 127
infestans, 127
elicitors, 297
hypersensitive response suppression, 306–7
lectins and zoospore lysis, 302
receptors, 300
megakarya
polyploidy, 330
megasperma f. sp. glycinea
elicitors, 297, 299
palmivora, 330
syringae, 68
Pine wilt disease pathology, 201–20
disease development, 206–7
histopathological aspects, 207
host mortality, 207
oleoresin exudation, 206–7
population in tree, 206
respiration, 207
disease distribution, 213–14
disease incidence and environment, 212
disease mechanism and toxins, 210
introduction, 201–3
cause, 201–2
loss, 202
occurrence, 201–2
nematode behavior, 207
cell death, 208–9
histochemical study, 209
at inoculation point, 208
inoculum potential, 210
migration in host, 209–10
reproduction, 208–9
pathogenicity of nematode, 203–5
host susceptibility, 203–5
inoculation tests, 203
populations in diseased trees, 210
summary, 214
Pisatin, 6, 307
Plasmodiophora brassicae, 68
Polysphondylium pallicum
heteroploidy, 328
Potassium
efflux
host-specific toxins, 96–97
root growth, 224
Potato virus X
synergism, 292
Potyviruses
hybridization analysis, 187
Precipitation
Meloidogyne occurrence, 281
Pseudomonads
suppressive soils, 77
Pseudomonas
aptata, 293
caryophylli
synergism, 293
fluorescens
ice nucleation, 368
on plants, 370
glycinea, 301
lachrymans, 293–94
phaseolicola, 294
solanacearum
hypersensitive reaction, 301
resistance induction, 293
syringae, 243, 251, 256, 294
antagonism, 375
epiphyte, 257
epiphytic host specificity lack, 262
epiphytic population, 370–71
epiphytic population reduction, 374
ice formation and disease, 378
ice nucleation, 367
ice nucleation activity, 371
ice nucleation genetic determinants, 377
ice nucleation site, 376
syringae pv. coronafaciens, 368
epiphytic populations and disease, 253–54
seed infestation and disease, 256
syringae pv. garcae, 251, 261
syringae pv. glycinea, 251
aerosols, 259
inoculum dispersal, 258–59
population variation, 250
survival in plant debris, 257

syringae pv. lachrymans
ice nucleation, 368
syringae pv. morsprunorum, 243, 252, 257
epiphytic host specificity, 261–62
leaf surface population variation, 250
syringae pv. phaseolicola
inoculum dispersal, 258
seed infestation, 255–56
toxin, 101–2
syringae pv. pisi, 368
disease enhancement by frost, 378
syringae pv. syringae, 251, 257, 261
aerosols, 259
epiphyte on nonhosts, 258
epiphytic host specificity, 261–62
epiphytic population and disease, 253
frost injury and disease, 377–78
plant debris and survival, 257
syringae pv. tomato, 251
soil infestation and disease, 257
tabaci
resistance induction, 293
Pseudomycorrhizae, 232–33
term, 232
Pseudoperonospora humuli, 343
Puccinia coronata
Gompertz model, 119
Pulse crops
grain molds, 164
damage nature, 166
Pyricularia oryzae, 96, 307
heteroploidy, 324–26
variability, 325–26
Pythium debaryanum, 79

R

Radicinin, 95
Rain
inoculum dispersal, 258
Rand, F. V., 26
Resistance or susceptibility induction, 289–315
conceptualization, 290
conclusion, 310–11
defense barriers, 302–4
endogenous elicitors, 298
exogenous elicitors, 297–98
host-specific toxins receptors, 299–300
lectins in fungal interactions, 302
lectins in plant-bacterial interactions, 300–2
papilla and lignification, 302–3
pathogen contact recognition, 296
phytoalexins, 303
receptors as recognition molecules, 299–302
receptors for elicitors, 300
signal compounds chemical properties, 297–98
signal compounds origin, 297
signal compounds produced by pathogens, 296
signal molecules release, 298
viral infection, 303–4
determination
bacteria, 305
fungal toxins, 305–6
fungi, 305–7
genetic implications, 308
introduction, 289
modeling, 308–10
offensive strategies of pathogens, 304
success or failure, 307–8
virus, 304
phenomena and characteristics, 291
bacterial interactions, 293–94
fungal interactions, 294–96
viral interactions, 291–93
Restriction enzyme mapping
viruses, 192–93
Rhizobium
japonicum
host recognition, 300
leguminosarum, 301
trifoli, 301
Rhizoctonia solani, 69, 162, 237
control, 79
suppression, 73
Rhizopus stolonifer, 298
Rhizosphere
primary infection
probability models, 47–49
surface density models, 46–47
Rice
grain molds, 156
damage nature, 159
Rice tungro virus
resistance, 395
Rishitin, 7
recent results, 8
RNA, 304
nucleotide sequence homology estimations, 180–81
accuracy limits, 184
cellulose nitrate sheet use, 190–91
experimental conditions effect, 181–84
hybridization analysis, 181
labeled cDNA preparation, 180–81
nuclease S_1 assay stringency, 182–83
satellite RNA, 188
unsuitable procedures, 184, 186
virus
aminoacylation, 193
in vitro translation, 194–95
sequencing, 179
virus genome
comparison, 193–94
restriction enzyme mapping, 192–93
subgenomic type, 194
two-dimensional fingerprinting, 191–92
mRNA
subgenomic type, 194
Rot analysis, 186, 188

S

Saccharomyces cerevisiae, 329, 331
chromosome number, 328
heteroploidy, 321–22
Sakai, R., 4
Sakai, S., 7
Sakamoto, M., 4
Sakuma, T., 7
Saprolegnia ferax
chromosomes, 329
Sato, K., 7
Sato, N., 7
Scheffer, R. P., 6
Schizophyllum commune, 322
chromosome number, 329
Scribner, F. L., 23
Septoria spp., 158
Serinol, 104
Shirai, Kotaro, 1
Smith, Charlotte May Buffet, 26
Smith, Erwin Frink, 21–27
bacterial work, 24
crown gall, 25
Fischer controversy, 24
early life, 22
early work, 22–23
peach yellows, 23
interests, 26
memberships, 25
Smith, Ransellor King, 22
Smith, Ruth Warren, 26
Smith, Theobold, 24

Snow blight disease, 2–3
Soil
  pH
    Meloidogyne occurrence, 281–82
  texture
    Meloidogyne occurrence, 281
Soilborne pathogen modeling, 45–64
  conclusions, 58–59
  growth curve analysis and disease progress, 50
    computer simulation, 52–53
    host growth, 51
    multivariate methods, 51–52
    non-linear models, 50–51
  inoculum quantification and disease, 53
    data transformation, 55–56
    deviation from randomness, 57–58
    disease response curves, 54–57
    infection thresholds, 56
    inoculum density estimation, 53–54
    most probable number, 54
    spatial pattern and sampling, 57–58
  introduction, 45–46
  primary infection models, 46
    probability models, 47–49
    surface density models, 46–47
  secondary infection and spread, 49–50
Solanum nodiflorum mottle virus
  RNA characterization, 186
Sorghum
  grain molds, 158
    aflatoxin, 172
Soybean
  grain molds, 162
    damage nature, 163
Sphaerotheca fuliginea, 296
Spiroplasma pathogenicity
    mechanisms, 29–43
  advantages and disadvantages as experimental organisms, 39–40
    defined growth medium, 39
  biochemical determinants in plants
    corn stunt spiroplasma, 38–39
    gibberellin metabolism, 38–39
    insects and mammals, 39
    Spiroplasma citri, 37–38
    toxins, 37–39
  diseases
    citrus stubborn, 32–33
    corn stunt, 33
    experimental disease in vertebrates, 34–35
    honey bee spiroplasmoses, 34
    other plant diseases, 34
    sex ratio trait of Drosophila, 34
  Spiroplasma
    classification, 31
    discovery, 29–30
    diversity, 30
    habitats, 31–32
  study methods, 35
    insects, 36
    plants, 35–36
    vertebrates, 37
Squash mosaic virus
  genomic map, 195
Stahmann, M. A., 6
Streptomycin, 127
Subterranean clover mottle virus
  restriction enzyme analysis, 193
Sugarbeet yellows virus, 356
Suillus luteus, 229
Suppressive soils, 66–85
  conclusions, 81–82
  demonstration and measurement, 69
  general survey
    control strategies, 74
    examples, 69–70
    mechanisms, 70, 73
    proofs, 73–74
    properties, 70–72
  historical, 65
  perspectives, 78–79, 81
    compartmentalization, 80
  take-all decline
    induced suppressiveness, 75–76
    introduced suppressiveness, 76
    mechanism hypotheses, 76–77
    new observations, 78
    other suppressive conditions, 77–78
    suppression and suppressive soils, 74
    suppression types, 75
    use of suppressive soils, 74–75
  terms and definitions, 66, 68
  types, 67
Suzuki, N., 4, 7
Symbiosis
  concepts, 225

T

Takahashi, Y., 4
Takakuwa, M., 4
Takase, N., 4
Take-all decline
  induced suppressiveness, 75–76
  introduced suppressiveness, 76
  mechanisms
    hypothesis, 76–78
  new observations, 78
  suppression and suppressive soils, 74
  suppression types, 75
  suppressive soil use, 74–75
Takemori, T., 4
Temperature
  Meloidogyne occurrence, 381
  pine wilt disease development, 212
  see also Ice nucleation and frost injury
Tentoxin, 95–96
Thaxter, Roland, 138
Tobacco mosaic virus
  antiviral factor, 304
  subgenomic mRNA, 194
  synergism, 292
  viral gneome nucleotide sequence, 179, 193
    homology, 186
Tobamoviruses
  hybridization analysis use, 187
  nucleotide sequence homology estimation, 181
Tochinai, Y., 1
Tomato aspermy virus
  hybridization analysis, 187
Tomato black ring virus
  satellite RNA, 188
Tomato golden mosaic virus, 192
Tomato mosaic
  acquired immunity, 291
Toxins
  host specific
    infection establishment, 305–6
    receptors, 299–300
  see also Host-specific toxins of Alternaria
Trichoderma
  hamatum
    biocontrol agent, 70
  harzianum, 70
  lignorum, 79
Tricothecenes, 170
Turnip crinkle virus
  genomic map, 195

Turnip yellow mosaic virus
genomic maps, 195

U

Uritani, I., 6
Uromyces
phaseoli, 298
phaseoli var. typica, 307
phaseoli var. vignae, 307
Ustilago
tritici, 158
violacea, 322
heteroploidy, 323–24, 335
spore size and heteroploidy, 333

V

Velvet tobacco mottle virus
RNA characterization, 186
Venturia inaequalis, 126
disomics, 323
Verticillium
albo-atrum, 49, 70, 320
conidial DNA, 331–32
dahliae, 330
conidial DNA, 332
DNA base ratios, 333
heteroploidy evidence, 324
spore size and heteroploidy, 333–34
dahliae var. longisporum
diploid, 330
lateritium
DNA base ratios, 333
tricorpus
heteroploidy, 326
Vesicular-arbuscular mycorrhizae, 233–34
anatomical features, 234–35
Virus relationships, 179–99
available nucleotide sequence data, 193–94
conclusion, 195
genome characterization
restriction enzyme mapping, 192–93
two-dimensional fingerprinting, 191–92
introduction, 179–80
in vitro translation, 194–95
nucleic acid characterization by hybridization, 180
accuracy limits, 184
cellulose nitrate sheets use, 190–91
cloned DNA use, 188–90
experimental conditions effect, 181–84
hybridization analysis, 181
labeled cDNA preparation, 180–81
technique applications, 186–88
unsuitability of competitive hybridization procedures, 184

W

Waite, M. B., 24
Walker, J. C., 6
Water
epiphtyic bacteria
movement, 261
survival, 261
Welch, W. H., 26
Wheat
grain molds, 158
aflatoxins, 170
damage nature, 160
Wheeler, Charles F., 23

X

Xanthomonas
campestris pv. campestris
aerosols, 259
campestris pv. citri
association with nonhosts, 258
campestris pv. glycines
survival in plant debris, 257
campestris pv. malvacearum
inoculum dispersal, 258
campestris pv. oryzae, 293
association with nonhosts, 258
campestris pv. phaseoli, 251, 261
aerosols, 259
seed infestation, 255
campestris pv. phaseoli var. fuscans, 251, 261
recovery from nonhosts, 258
seed surface population, 255
campestris pv. vesicatoria
survival in plant debris, 257
phaseoli var. sojensis, 301

Z

Zearalenones, 170
Zinniol, 95